## 4112



 $\begin{array}{ccc} \frac{1}{1}\frac{1}{1}\frac{1}{1}\frac{1}{1}\frac{1}{1} \\ \frac{1}{1}\frac{1}{1}\frac{1}{1}\frac{1}{1} \end{array}$ 

030	030	020	010	005
890mm 35.04" 980mm 38.58"	890mm 35.04" 2100mm 82.68"	890mm 35.04" ————————————————————————————————————	890mm 35.04" —— 950mm 37.40"	760mm 29.92"
	980mm 38.58"	980mm 38.58"	980mm 38.58"	510mm 20.08"

## **Technical Information**

**ADDITIONAL DIMENSIONS:** 

Seat Height(cm)52Seat Depth(cm)58Arm Height(cm)62.5Arm Width(cm)18.5Leg height(cm)12.5

CONSTRUCTION

Covering: Leather/Fabric

Constructured with a combination of Plywood and LVL for enhanced strength and

Frame Composition: durability

Frame Joint Construction: Reinforced using corner blocks, staples, and adhesive.

Suspension System: Coiled Springs

Seat Type: Attached Seat cushion

Seat Cushion Composition: Foam with Feather blend on top

Back Type: Attached Back cushion
Back Cushion Composition: High-resilience foam

Legs Material: Wood
Legs available colors: Espresso

Reclining Function: NO

**DELIVERY INFORMATION** 

What type of assembly is required Legs

**ADDITIONAL DETAILS** 

Recommended Weight Capacity per Seat(kgs): 110